



# Certificate of Conformity

Certificate number: CM70009 Rev4

Certification Body:



**BUREAU  
VERITAS**

**Bureau Veritas Australia Pty Ltd**  
11/500 Collins Street  
Melbourne VIC, 3000  
Ph: 1800 855 190  
www.bureauveritas.com.au

Certificate Holder:



**AM-BOSS LADDERS**  
AM-BOSS Ladders Pty Ltd  
T/a AM-BOSS Access Ladders  
11-13 Maida Avenue  
SUNSHINE NORTH VIC 3020  
Ph: +61 3 9310 8788  
Fax: +61 3 9367 9673

THIS TO CERTIFY THAT

## AM-BOSS Access Ladders

Type and/or use of product:

A pull down ladder for access to ceiling/roof spaces and plant/equipment areas in buildings.

Description of product:

AM-BOSS access ladders are manufactured in aluminium with the flat non-slip treads welded into the stiles. Models include Access-Boss, Access-Boss All-Metal, Big-Boss, Big-Boss All-Metal, Ambossador, Access-Boss Heavy Duty, Big-Boss Heavy Duty and AM-BOSS Inferno-Boss.

COMPLIES WITH THE FOLLOWING BCA PROVISIONS AND STATE OR TERRITORY VARIATION(S)

**BCA 2022**

	Volume One	Volume Two
<b>Performance Requirement(s)</b>	B1P1 (2)(b) D1P2 D1P4	H1P1 (2)(b) H5P1
	Structural reliability Safe movement to and within a building Exits	Structural stability and resistance Movement to and within a building
<b>Deemed-to-Satisfy Provision(s):</b>	C2D2 inter alia Specification 5 – Limited to InfernoBoss, subject to conditions and limitations.	N/A
<b>State or territory variation(s):</b>	N/A	N/A

**Sam Guindi – Product Certification Manager**  
Bureau Veritas Australia Pty Ltd

**Harley Parkes – Unrestricted Building Certifier**  
McKenzie Group Consulting

Date of issue: 22 June 2022

Revalidated: 21 December 2023

Date of expiry: 09 May 2025





# Certificate of Conformity

E: [amboss@ambossaccessladder.com.au](mailto:amboss@ambossaccessladder.com.au)  
W: [www.ambossaccessladder.com.au](http://www.ambossaccessladder.com.au)

## SUBJECT TO THE FOLLOWING LIMITATIONS AND CONDITIONS AND THE PRODUCT TECHNICAL DATA IN APPENDIX A AND EVALUATION STATEMENTS IN APPENDIX B

### Limitations and conditions:

1. AM-BOSS Access ladders shall be operated and maintained in accordance with the applicable procedure as listed in sections A6 below.
2. The fixing of the ladder to the building structure is outside the scope of this assessment. It is the responsibility of others to ensure the structural adequacy of the support building structure and fixing for each ladder installation.
3. Where the AM-BOSS Access ladder is to be installed in a ceiling that has a Fire Resistance Level (FRL) or a Resistance to the Incipient Spread of Fire (RISF), only the AM-BOSS Inferno-Boss shall be used where the ceiling has an FRL of up to -/90/90 or a Resistance to Incipient Spread (RISF) of up to 90 minutes.
4. The choice of ladder to be selected and used shall be within the load ratings applicable to the occupancy and expected use and shall also to be appropriate for the height of the ceiling above the floor.
5. The product shall only be used for its intended purpose and installed in accordance with the applicable installation manuals listed in Section A5.
6. Limited for use as a means of egress under DP4 from non-habitable rooms only with a maximum floor area of 100sqm and where accessibility requirements are exempted under BCA Volume 1 D4D5.

### Building classification/s:

Volume 1 – Class 2 to Class 9 buildings  
Volume 2 – Class 1 and Class 10 buildings

**Scope of certification:** The CodeMark Scheme is a building product certification scheme. The rules of the Scheme are available at the ABCB website [www.abcb.gov.au](http://www.abcb.gov.au). This Certificate of Conformity is to confirm that the relevant requirements of the Building Code of Australia (BCA) as claimed against have been met. The responsibility for the product performance and its fitness for the intended use remain with the certificate holder. The certification is not transferrable to a manufacturer not listed on Appendix A of this certificate.

**Disclaimer:** The Scheme Owner, Scheme Administrator and Scheme Accreditation Body do not make any representations, warranties or guarantees, and accept no legal liability whatsoever arising from or connected to, the accuracy, reliability, currency or completeness of any material contained within this certificate; and the Scheme Owner, Scheme Administrator and Scheme Accreditation Body disclaim to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this certificate.

## APPENDIX A – PRODUCT TECHNICAL DATA

### A1 Type and intended use of product

as above

### A2 Description of product

as above

### A3 Product specification

Am-Boss Access Ladders specifications are detailed in the follow drawings:

- AM-AL-AP01 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-AR01 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-AR01-D1 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-AR01-D2 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-FC01 (Rev 1) (10-12-08) Reissued 1/11/2023
- GA Closed (Rev 1) (12-12-08) Reissued 1/11/2023
- GA Open (Rev 2) (12-12-08) Reissued 1/11/2023
- AM-AL-LA01 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LA01-D1 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-LA01-D2 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LA01-D3 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LA01-D5 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LA01-D6 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LF01 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-LF01-D1 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-LF01-D2 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-LH01 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-LH01.D1 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-LH01.D2 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-LK01 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-LK01-D1 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LK01-D2 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-LR01 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-LS01 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-PH01 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-PL01 ELEV VIEW (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-PL01 (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-PL01-D1 (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-PL01-D2 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-PS01 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-RF01 (Rev 0) (11-12-08) Reissued 1/11/2023
- AM-AL-SG01 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-SL01 ELEV VIEW (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-SL01 (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-SL01-D1 (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-SP01 (Rev 2) (11-12-08) Reissued 1/11/2023
- AM-AL-MB01 (Rev 1) (10-12-08) Reissued 1/11/2023
- AM-AL-SP01-D2 (Rev 2) (10-12-08) Reissued 1/11/2023
- AM-AL-TL01 (Rev 1) (11-12-08) Reissued 1/11/2023
- AM-AL-TL01.D1 (Rev 1) (11-12-08) Reissued 1/11/2023
- CL-AM-AL-3ELEV VIEW (Rev 0) (12-12-08) Reissued 1/11/2023
- OP-AM-AL-3 ELEV VIEW (Rev 1) (12-12-08) Reissued 1/11/2023
- STILE END CAP (REV 1) (12-02-2009) Reissued 1/11/2023

The components are detailed in the relevant installation manual and consist of the following models.

- 2020, for ceiling height 2000mm – 2195mm
- 2153, for ceiling height 2150mm – 2295mm
- 2345, for ceiling height 2300mm – 2445mm
- 2460, for ceiling height 2450mm – 2595mm
- 2680, for ceiling height 2600mm – 2795mm
- 2830, for ceiling height 2800mm – 2995mm
- 3020, for ceiling height 3000mm – 3195mm
- 3240, for ceiling height 3200mm – 3395mm
- 3460, for ceiling height 3400mm – 3595mm
- 3680, for ceiling height 3600mm – 3795mm
- 3840, for ceiling height 3800mm – 3995mm
- 4050, for ceiling height 4000mm – 4495mm
- 4550, for ceiling height 4500mm – 4995mm
- 5050, for ceiling height 5000mm – 5495 mm

#### **A4 Manufacturer and manufacturing plant(s)**

AM-BOSS Ladders Pty Ltd T/a AM-BOSS Access Ladders, 11-13 Maida Avenue, Sunshine North, VIC 3020, Australia.

#### **A5 Installation requirements**

The installation of an AM-BOSS Access Ladder is to be in accordance with the applicable installation guide as listed below:

- Guide to Installation for Types: Access-Boss and Access-Meister (Dated 10th September 2001 Rev J)
- Guide to Installation for Types: Big-Boss (Dated 10th September 2001 Rev H)
- Guide to installation for Types: Special Hatch Size (Dated 28th May 2015 Rev C)
- Guide to Installation for Types: Suspended Ceiling/s (Dated 19 December 2007 Rev H)
- Guide to Installation for Types: 'Am-Boss Inferno-Boss' (Dated 1 August 2009 Rev F)
- Guide to Installation for Types: 'Am-Boss All Metal' (Dated 10th February 2017 Rev D)

#### **A6 Other relevant technical data**

1. OPERATING AND MAINTANANCE PROCEDURE ON AM-BOSS ACCESS LADDERS. (24 February 2004 Rev C).
2. OPERATING AND MAINTANANCE PROCEDURE FOR 'AM-BOSS INFERNO-BOSS' ACCESS LADDERS (1 August 2008 Rev C).

## APPENDIX B – EVALUATION STATEMENTS

### B1 Evaluation methods

#### Structural Load Testing

A2G2(2)(a)/A5G3(1)(d) – Report(s) from an Accredited Testing Laboratory -

1. Load Testing, Pearl Street, (Report No. 4940-0122.1 Dated: 25 August 2009).
2. Material Evaluation Report prepared by Metlabs (Report No. 960707/1, Dated 7 August 1996).
3. Mechanical Testing report prepared by Melbourne Testing Services (MTS) Report No. MT-13/349 Dated 30 May 2013.

#### Fire Resistance

A2G2(2)(a)/A5G3(1)(d) – Report from an Accredited Testing Laboratory (Warringtonfire)

#### Access

A2G2(2)(d) – Comparison with the Deemed-to-Satisfy provisions (Hendry Group), and  
A2G2(2)(c) – Expert Judgment (Hendry Group).

### B2 Reports

#### Structural Load Testing

1. Mechanical Testing Report prepared by PearlStreet (Report No. 4940-0122.1, Dated: 25 August 2009).
2. Material Evaluation Report prepared by Metlabs (Report No. 960707/1, Dated 7 August 1996).
3. Mechanical Testing report prepared by Melbourne Testing Services (MTS) Report No. MT-13/349 Dated 30 May 2013.

#### Fire Resistance

4. Bodycote Warrington Fire Test Report No.2279400 (dated 5-9-2008)
5. Exova Warrington Report Review No. 31193800 (dated 18/08/2014)
6. Warringtonfire, Fire Assessment Report, Fire resistance performance of AM-BOSS ceiling mounted access hatch and ladder assembly in accordance with AS1530.4:2014, Report No: 22794 Rev 3.0, dated 23 January 2020

#### Access

Drawings as listed above in Appendix A – Product Technical Data.